



On October 17th 2023 the EU regulation EU 2023/2055 to ban synthetic polymer microparticles "microplastics" came into force

➤ All intentionally added microplastics, on their own or in mixtures, at ≥ 0.01% by weight

Must meet both conditions:

1. Are contained in particles and constitute at least 1% by weight of those particles; or build a continuous surface coating on particles;

 At least 1% of these particles have dimensions ≤ 5 mm or have length ≤ 15 mm and their length to diameter ratio is greater than 3

Impact on cosmetic formulations

sappi

It's more than just plastic microbeads in rinse-off products...

Solid synthetic polymers also fall into the definition

Uses in cosmetics:

- Stabilisation
- Enhance skin-feel
- Improve spreadability
- Opacifying effect

Many natural polymers in the market but often lacking in at least one of the following:

sappi



Sappi Limited: Building a thriving world

Valida

sappi

INCI of cellulose: cellulose and/or cellulose gum



Picture: Sappi Lothair plantation, South Africa

Sustainable

Iso naturality of 0.99

Coldprocessable

Cellulose is the most abundant organic polymer on earth!







We grow wood-fibre responsibly


sappi

We are here to prove that commercial forestry and forest conservation are not mutually exclusive.

Our policies and practices ensure that forests and plantations are expertly tended, harvested and most importantly, regenerated for healthy regrowth.



Unlocking the power of trees



Functional Paper Packaging 8

Sustainable Leadership

- Global Sappi commitment to reduce carbon emissions by 2030
- Circular economy reduce waste treatment and longterm journey to zero waste
- ➤ 80 energy projects in the period 2020-2025
- > 54% of Sappi global energy used is renewable clean energy; 76% from own biomass
- Achieved Ecovadis rating of platinum in 2022.








What sets Valida apart from other celluloses?

Grinding

sappi




Cellulose powder

Cellulose (uncoated/untreated)




Acidic treatment



Microcrystalline Cellulose

Mechanical fibrillation – no chemical treatment!




Valida, Fibrillated Cellulose – large surface area and 3D network formation

Valida is Fibrillated Cellulose

sappi





No chemical treatment or modification of cellulose polymer → 100% natural and **fully biodegradable**Mechanical processing → strong 3D network

Properties of Valida



sappi



Stabilising particles without increasing viscosity or flow!

Additive boosting effect

Due to 3D network, Valida can evenly distribute particles of:

- Pigments, dyes, biodegradable glitter
- Actives AHA, BHA, powders
- UV filters

Increasing performance and slow-release of actives onto the skin!



2% HEC




2% Valida S+, gel



*Whilst creating a luxurious skin-feel!

Stabilising capability

sappi



Measured at 1 wt% of active content of substances





Valida has high shearthinning rheology Boost the viscosity of thickeners




Create various textures



Synergy with thickeners

sappi



Sappi Limited: Building a thriving world






Mattifiying, blurring effect

Easy to spread formulation



Sensory panel test and soft-focus effect

sappi





Immediate wrinkle-blurring, softening effect with addition of 0.4% Valida using Visioscan

Sappi Limited: Building a thriving world



Case study – SLES-free shampoo

sappi




is through

Study in partnership with Azelis France

The Ross-Miles foam test measures the foamability according to ASTM D1173. Valida ~ doubles the foam height and remains stable over time



2 months at 40°C Left = control Right = with Valida



Case study - shampoo

Foaming capacity on hair strands



200 µl of shampoo added to length of hair strand



1.5 ml of water added along hair strand



With the thumb, three curl patterns were made 20 times across hair strand to observe foam capacity

Case study - shampoo

Foaming capacity on hair strands

With Valida, there is more creamy foam with *good hold* on hair strand





Without Valida, there is *very little foam* on hair strand

sappi

Valida in haircare

sappi


3D network with high surface area and available OH groups → conditioning effect

Can reduce combing force due to relatively small fibre size


Good spreadability

Can improve styling → Reduces flyaways and static → potential to reduce PVP

Stabilises foam and increases lather – high yield stress and stabiliser



Washed with shampoo



Treated with conditioner containing 0.1% actives Valida S+

Suspend oil in water droplets



*Valida can help to suspend low oily phase alone depending on polarity of oil

Valida in suncare


sappi

- ➤ Boosts the SPF of physical and hybrid UV filter sunscreen
- > Improves spreadability leaving no white caste
- > Creates lightweight, silky product that is not greasy!
- ➤ Increases hydration due to excellent water retention
- ➤ Anti-drip due to thixotropic nature → sprayable



sappi

Naturally boosting SPF and UVA PF – Mineral & chemical hybrid sunscreen



0.4% active concentration Valida boosts SPF by ~20%. Formulation available upon request. In-vivo studies also available

sappi

Valida In Tanning Products

In water, DHA initially has a pH of 5.5 but as it oxidises, the pH shifts to 3-4.

With Valida you can:


- ✓ Successfully stabilize DHA while offering a nice silky texture.
- ✓ Boost the performance of DHA therefore reduce the concentration of DHA
- ✓ Create a non-tacky and non-greasy product!



pH range 3-10

Stable against electrolytes

Cold processable



Valida grades


sappi




3% active, gel



8% active, paste








Applications:

- Cosmetics
- Fragrance
- Styling Gel
- Transparent hair care/body care
- Hair dye



What sets Valida T apart from other Celluloses?

sappi



Valida T vs cellulose gum

sappi

Parameters	Valida T	CMC
INCI	Cellulose gum	Cellulose gum
Particle stabilizing performance	Excellent	Poor
Thixotropic behavior	Extreme shear thinning with fast viscosity recovery	Moderate
Temperature dependent viscosity	Low	High
Viscosity	Low with exponential increase	High, linear increase
Sensory	Fresh skin feel	Sticky or tacky

Sprayability

Water CMC Valida



Particle stability


0.4 wt.% CMC





Valida T and S+ stabilising power

sappi



In Summary....

- ✓ Stabilise and suspend active ingredients in *transparent* formulations, comparable to carbomer
- ✓ Non-tacky, fresh velvety skin-feel
- ✓ Synergistic effect with Xanthan Gum to boost viscosity while improving the skin-feel
- ✓ Compatible with nonionic surfactants
- ✓ Easy to use
- ✓ Sourced from sustainably-managed forests



